NSA EVALUATED DESTRUCTION DEVICES

MARCH 2003

TABLE OF CONTENTS

GENERAL INFORMATION	Page 3-4
GROUP A (CROSSCUT SHREDDERS)	PAGES
TRANSFERRED TO EVALUATED PRODUCTS LIST FO	OR HIGH SECURITY
CROSSCUT SHREDDERS (NSA/CSS EPL 02/01-A)	
GROUP B (KNIFEMILLS)	PAGES 5-13
25 to 50 lbs. Capacity	Page 5
55 to 100 lbs. Capacity	Pages 5-6
101 to 200 lbs Capacity	Pages 6-7
201 to 300 lbs Capacity	Page 8
301 to 400 lbs Capacity	Page 9
401 to 500 lbs Capacity	Page 10
101 to 1000 lbs Capacity	Pages 11-12
1001 to 3000 lbs Capacity	Pages 13
GROUP B (HAMMERMILLS)	PAGES 14-15
50 to 1000 lbs. Capacity	Page 14
1001 to 4000 lbs. Capacity	Page 15
GROUP C (WET PULPERS)	PAGE 16
GROUP D (CD-ROMs)	PAGE 17-18
GROUP E (KEY TAPE DESTRUCTION DEVICES)	PAGE 19
MANUFRACTURER'S LISTING	PAGE 20-21
DISTRIBUTOR'S LISTING	PAGES 22-23

NATIONAL SECURITY AGENCY (NSA) EVALUATED DESTRUCTION DEVICES

- 1. The NSA maintains a list of equipment which has been evaluated as meeting the requirements for routine destruction of specific classified media (paper, cryptographic key tape, compact disks etc.). This approval is informational and advisory only. The approval is based on an examination of residue and a physical security evaluation of the equipment. Factors such as reliability, rate of wear, and frequency of parts replacement have not been evaluated; and NSA does not endorse manufacturers' claims concerning these aspects. Hourly volume rates are estimates based on average rates for destruction of paper material and may vary depending on variety, volume, and loading. It has always been and continues to be, the machine operator's responsibility to periodically inspect the resulting residue of each material destroyed for compliance with the secure particle standards.
- 2. The list of evaluated cross cut shredders has been transferred to the EVALUATED PRODUCTS LIST FOR HIGH SECURITY CROSSCUT SHREDDERS (NSA/CSS EPL 02-01-A.).
- 3. Other equipment(s) may will be added to this list as they are tested and pass the evaluation. Queries on these or other equipment should be addressed to DIRNSA, ATTN: C323 or by telephone at (410) 865-2870 or DSN 244-6563.
- 4. Some of the equipment in this list is available from the GSA Federal Supply Schedule.
- 5. Devices in this list should not be used for the destruction of microcircuits, floppy disks, hard disks, microfiche, microfilm, or other high density magnetic, optical or reduction film material unless explicitly specified.
- 6. Devices in this list which are listed as "No Longer in Production" may be still used only if the machines are in good working condition and can be properly maintained. Parts and service are typically available for at least five (5) years after production ends. Please consult your local service facility for the availability of service and parts for older equipment before accepting them for reuse.

PRODUCT UPDATES

1. The KEY TAPE DESTRUCTION DEVICE section has been added as GROUP E. This group encompasses devices designed to operate in environments (offices, etc.) that are not suitable for conventional disintegrators. All disintegrators previously approved to destroy key tap will continue to be authorized to destroy key tape.

GROUP B (KNIFEMILLS – 25 to 50 lbs. Capacity)

EQUIPMENT	MODEL	CAPACITY			
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
SEM	700	35	Security Engineered	Security Engineered	Office Model, Low noise
	Disintegrator		Machinery Company	Machinery Company	level 3/32 inch screen
SEM	200	35	Security Engineered	Security Engineered	5/64 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required.
SEM	DS-200	35	Security Engineered	Security Engineered	5/64 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required.
SEM	716	40	Security Engineered	Security Engineered	Office Model, low noise
	Disintegrator		Machinery Company	Machinery Company	level 3/32 inch screen
					required 16 inch wide feed
					slot

GROUP B (KNIFEMILLS – 55 to 100 lbs. Capacity)

EQUIPMENT	MODEL	CAPACITY			
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
NATIONAL	96	60	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
DISINTEGRATOR			Systems	Business Machines,	required.
SYSTEM (NDS)				Inc.	
	96M	60	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
			Systems	Business Machines,	required.
				Inc	
SEM	2	60	Security Engineered	Security Engineered	3/32 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required
Whitaker Brothers	96	60	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
			Systems	Business Machines,	required.
				Inc.	
Whitaker Brothers	96M	60	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
			Systems	Business Machines,	required.
				Inc.	

SEM	68	65	Security Engineered	Security Engineered	1/8 inch Filter screen
			Machinery Company	Machinery Company	required. Failed evaluation
					for plastic tape or HTSP
SEM	200	70	Security Engineered	Security Engineered	3/23 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required. Failed evaluation
					for P-M-P and plastic tape.
SEM	DS-200	70	Security Engineered	Security Engineered	3/32 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required. Failed evaluation
					for P-M-P and plastic tape.

GROUP B (KNIFEMILLS – 101 to 200 lbs. Capacity)

EQUIPMENT DESIGNATION	MODEL NUMBER	CAPACITY LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
NATIONAL	101	175	Granutec	Whitaker Brothers	3/32 inch Filter screen
DISINTEGRATOR	Disintegrator			Business Machines,	required.
SYSTEM (NDS)				Inc.	
SEM	3	175	Security Engineered	Security Engineered	3/32 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required.
Whitaker Brothers	110	175	Granutec	Whitaker Brothers	1/8 inch Filter screen
	Disintegrator			Business Machines,	required.
				Inc.	
FAIL SAFE	FS-12	200	Fail Safe Destruction		No longer in production
	Disintegrator		System		
NATIONAL	120	200	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
DISINTEGRTOR	Disintegrator		System	Business Machines,	required.
SYSTEM (NDS)				Inc.	
	144	200	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
			System	Business Machines,	required.
				Inc.	

	144M	200	National Disintegrator System	Whitaker Brothers Business Machines, Inc.	1/8 inch Filter screen required.
SEM	1012 Disintegrator	200	Security Engineered Machinery Company	Security Engineered Machinery Company	3/32 inch Filter screen required. 10hp motor, 10 x 12 opening.
Whitaker Brothers	120 Disintegrator	200	National Disintegrator System	Whitaker Brothers Business Machines, Inc	3/32 inch Filter screen
	144	200	National Disintegrator System	Whitaker Brothers Business Machines, Inc	3/32 inch Filter screen
	144M	200	National Disintegrator System	Whitaker Brothers Business Machines, Inc	3/32 inch Filter screen
	145	200	National Disintegrator System	Whitaker Brothers Business Machines, Inc	3/32 inch Filter screen

GROUP B (KNIFEMILLS – 201 to 300 lbs. Capacity)

EQUIPMENT	MODEL	CAPACITY		1 0/	
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
NATIONAL	150	300	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
DISINTEGRATOR	Disintegrator		Systems	Business Machines,	required.
SYSTEM (NDS)				Inc.	
SEM	15	300	Security Engineered	Security Engineered	3/32 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required.
Whitaker Brothers	150	300	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
	Disintegrator		Systems	Business Machines,	required
				Inc.	

GROUP B (KNIFEMILLS – 301 to 400 lbs. Capacity)

EQUIPMENT	MODEL	CAPACITY			
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
NATIONAL	180	350	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
DISINTEGRATOR	Disintegrator		Systems	Business Machines,	required.
SYSTEM (NDS)				Inc.	
	224	350	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
	Disintegrator		Systems	Business Machines,	required.
				Inc.	
Whitaker Brothers	180	350	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
	Disintegrator		Systems	Business Machines,	required.
	_		-	Inc.	
	224	350	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
	Disintegrator		Systems	Business Machines,	required.
				Inc.	

GROUP B (KNIFEMILLS – 401 to 500 lbs. Capacity)

EQUIPMENT	MODEL	CAPACITY			
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
NATIONAL	240	425	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
DISINTEGRATOR SYSTEM (NDS)	Disintegrator		Systems	Business Machines, Inc.	required.
	280	425	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
	Disintegrator		Systems	Business Machines, Inc.	required.
	280A	425	National Disintegrator Systems	Whitaker Brothers Business Machines, Inc.	1/8 inch Filter screen required.
SEM	Model 22	425	Security Engineered Machinery Company	Security Engineered Machinery Company	3/32 inch Filter screen required.
	Model DS-22 Dual Stage w full burn bag pre-shredder)				
	22 Heavy Duty Service (HDS) Disintegrator	425	Security Engineered Machinery Company	Security Engineered Machinery Company	3/32 inch Filter screen required
Whitaker Brothers	240 Disintegrator	425	National Disintegrator Systems	Whitaker Brothers Business Machines, Inc.	3/32 inch Filter screen required
	280 Disintegrator	425	National Disintegrator Systems	Whitaker Brothers Business Machines, Inc	1/8 inch Filter screen required
	280A	425	National Disintegrator Systems	Whitaker Brothers Business Machines, Inc	1/8 inch Filter screen required

GROUP B (KNIFEMILLS – 501 to 1000 lbs. Capacity)

			<u> </u>	
_				
NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
320	600	National Disintegrator	Whitaker Brothers	3/32 inch Filter screen
Disintegrator		Systems	Business Machines,	required.
			Inc.	
360A	600	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
Disintegrator		•	Business Machines,	required.
			Inc.	1
400	600	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
Disintegrator			Business Machines,	required.
			Inc.	1
23	600	Security Engineered	Security Engineered	1/8 inch Filter screen
		, ,		required. Replaces SEM
			J 1 J	Model 30
30	600	Security Engineered	Security Engineered	3/32 inch Filter screen
				required.
320	600		Whitaker Brothers	3/32 inch Filter screen
Disintegrator		Systems	Business Machines,	required.
			Inc.	
360A	600	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
Disintegrator		Systems	Business Machines,	required
			Inc.	
400	600	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
Disintegrator		Systems	Business Machines,	required
			Inc.	1
360B	800	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
Disintegrator		Systems	Business Machines,	required.
			Inc.	
	Disintegrator 360A Disintegrator 400 Disintegrator 23 30 320 Disintegrator 360A Disintegrator 400 Disintegrator	MODEL NUMBER CAPACITY LBS/HOURS 320 Disintegrator 600 360A Disintegrator 600 400 Disintegrator 600 23 600 30 600 320 Disintegrator 600 360A Disintegrator 600 400 Disintegrator 600 360B 800	MODEL NUMBERCAPACITY LBS/HOURSMANUFACTURER320 Disintegrator600 SystemsNational Disintegrator Systems360A Disintegrator600 SystemsNational Disintegrator Systems23600 Machinery Company30 Machinery CompanySecurity Engineered Machinery Company30 Disintegrator600 Mational Disintegrator Systems360A Disintegrator600 Mational Disintegrator Systems400 Disintegrator600 Systems400 DisintegratorNational Disintegrator Systems360B800National Disintegrator	NUMBERLBS/HOURSMANUFACTURERDISTRIBUTOR320 Disintegrator600 SystemsNational Disintegrator SystemsWhitaker Brothers Business Machines, Inc.360A Disintegrator600 SystemsNational Disintegrator SystemsWhitaker Brothers Business Machines, Inc.400 Disintegrator600 SystemsNational Disintegrator Machinery CompanyWhitaker Brothers Business Machines, Inc.23600 Machinery CompanySecurity Engineered Machinery CompanySecurity Engineered Machinery Company30 Security Engineered Machinery CompanySecurity Engineered Machinery CompanySecurity Engineered Machinery Company320 Disintegrator600 SystemsNational Disintegrator SystemsWhitaker Brothers Business Machines, Inc.360A Disintegrator600 SystemsNational Disintegrator SystemsWhitaker Brothers Business Machines, Inc.400 Disintegrator600 SystemsNational Disintegrator SystemsWhitaker Brothers Business Machines, Inc.360B Disintegrator800 SystemsNational Disintegrator SystemsWhitaker Brothers Whitaker Brothers Business Machines, Inc.

NATIONAL	400	800	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
DISINTEGRATOR	Disintegrator		Systems	Business Machines,	required.
SYSTEM (NDS)				Inc.	
SEM	1424	800	Security Engineered	Security Engineered	3/32 inch Filter screen
	Disintegrator		Machinery Company	Machinery Company	required.
Whitaker Brothers	360B	800	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
	Disintegrator		Systems	Business Machines,	required.
				Inc.	
	400	800	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
			Systems	Business Machines,	required.
				Inc.	-
NATIONAL	600	1000	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
DISINTEGRATOR	Disintegrator		Systems	Business Machines,	required.
SYSTEM (NDS)				Inc.	
Whitaker Brothers	600	1000	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen
	Disintegrator		Systems	Business Machines,	required.
	_			Inc.	

GROUP B (KNIFEMILLS – 1001 to 3000 lbs. Capacity)

	Dister in order of increasing capacity							
EQUIPMENT	MODEL	CAPACITY						
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS			
SEM	1436	1200	Security Engineered	Security Engineered	3/32 inch Filter screen			
	Disintegrator		Machinery Company	Machinery Company	required.			
NATIONAL	800	1400	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen			
DISINTEGRATOR	Disintegrator		Systems	Business Machines,	required.			
SYSTEM (NDS)				Inc.				
Whitaker Brothers	800	1400	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen			
	Disintegrator		Systems	Business Machines,	required.			
				Inc.				
SEM	1454	2000	Security Engineered	Security Engineered	3/32 inch Filter screen			
	Disintegrator		Machinery Company	Machinery Company	required.			
NATIONAL	100	2400	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen			
DISINTEGRATOR	Disintegrator		Systems	Business Machines,	required.			
SYSTEM (NDS)				Inc.				
Whitaker Brothers	1000	2400	National Disintegrator	Whitaker Brothers	1/8 inch Filter screen			
	Disintegrator		Systems	Business Machines,	required.			
				Inc.				
SEM	2436	2800	Security Engineered	Security Engineered	3/32 inch Filter screen			
	Disintegrator		Machinery Company	Machinery Company	required.			

GROUP B (HAMMERMILLS – 50 to 1000 lbs. Capacity)

EQUIPMENT DESIGNATION	MODEL NUMBER	CAPACITY LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
JAYBEE	2MBW Office Disintegrators	50	Jaybee Manufacturing Inc.	Jaybee Manufacturing Inc.	3/16 inch Filter screen required.
JAYBEE	3MB-W Disintegrators	100	Jaybee Manufacturing Inc.	Jaybee Manufacturing Inc.	3/16 inch Filter screen required.
JAYBEE	2CB Disintegrators	300	Jaybee Manufacturing Inc.	Jaybee Manufacturing Inc.	3/16 inch Filter screen required.
JAYBEE	3ISW4F Disintegrators	900	Jaybee Manufacturing Inc.	Jaybee Manufacturing Inc.	3/16 inch Filter screen required.
SCHUTTE	1430 Security Document Destroyer	900	Schuttle Pulverizer Co., Inc.		No longer in production
DOCUMENT DESTOYER SYSTEM	DDS-18	1000	Document Disintegrator Systems, L&F Industries	Document Disintegrator Systems	3/16 inch Filter screen required.

GROUP B (HAMMERMILLS – 1001 to 4000 lbs. Capacity)

EQUIPMENT MODEL CAPACITY					
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
JAYBEE	3ISW6	1500	Jaybee Manufacturing	Jaybee	3/16 inch Filter screen
	Disintegrators		Inc.	Manufacturing Inc.	required.
JAYBEE	3IW75	2000	Jaybee Manufacturing	Jaybee	3/16 inch Filter screen
	Disintegrators		Inc.	Manufacturing Inc.	required.
DOCUMENT DESTOYER SYSTEM	DDS-24	2300	Document Disintegrator Systems, L&F Industries	Document Disintegrator Systems	3/16 inch Filter screen required.
JAYBEE	4IW75 Disintegrators	2500	Jaybee Manufacturing Inc.	Jaybee Manufacturing Inc.	3/16 inch Filter screen required.
DOCUMENT DESTOYER SYSTEM	DDS-36	3000	Document Disintegrator Systems, L&F Industries	Document Disintegrator Systems	3/16 inch Filter screen required.
JAYBEE	51W Disintegrators (Mobile)	4000	Jaybee Manufacturing Inc.	Jaybee Manufacturing Inc.	3/16 inch Filter screen required.

GROUP C (WET PULPERS)

EQUIPMENT DESIGNATION	MODEL NUMBER	CAPACITY LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
ANTAEUS	IBS DESTROYER		ANTAEUS GROUP	ANTAEUS GROUP	Paper Stock Only
WARING 10 SPEED VORTEX BLENDER	WBL21, 1 Liter Plastic Carafe WBL31, 1 Liter Glass Crafe	2-5	Waring Products Division	Waring Products Division	Paper Stock Only
	24CP9E	25-30	Waring Products Division	Waring Products Division	Paper Stock Only
DAYMAX	100	100 Gal/Hr	LittlefordDay, Inc.	LifflefordDay, Inc.	Paper Stock Only

GROUP D (CD-ROM Destruction Equipment – see Note 1)

Box and Box an					
EQUIPMENT	MODEL	CAPACITY			
DESIGNATION	NUMBER	LBS/HOURS	MANUFACTURER	DISTRIBUTOR	REMARKS
CD ROM	DX-Cde	60 CD/hr	CD ROM, Inc.	MAR-TECH Custom	Passed evaluation for CD-
					Read Only media (CD-
					ROM), CD-WO and CD-RW
	DX-CDm	45 CD/hr	CD ROM, Inc.	MAR-TECH Custom	Passed evaluation for CD-
					Read Only media (CD-
					ROM), CD-WO and CD-RW
Datastroyer	101	300 CD/hr.	Applied Magnetic	Whitaker Brothers	Passed evaluation for CD-
			Laboratory, Inc.	Business Machines,	Read Only media (CD-
				Inc.	ROM), CD-WO and CD-
					RW. Optional Battery Power
					(See Note 2) Electrical
					Options Available
SEM	1200	180CD/hr	PROTON	SEM Company	Passed evaluation for CD-
CD Declassifier			ENGINEERING, Inc.		Read Only media (CD-
					ROM), CD-WO and CD-RW
Whitaker Brothers	100	60CD/hr	Whitaker Brothers	Whitaker Brothers	Passed evaluation for CD-
			Business Machines, Inc.	Business Machines,	Read Only media. Failed
				Inc.	evaluation for CD-WO and
					has not been tested for CD-
					RW.

GROUP "D" NOTES:

- 1. This list is only for devices for CD media that is formatted using the Phillips/Sony Standards and Cross-interleaved Reed Solomon Error Correction Code Encoding and is NOT for DVD media. There are basically tow types of CD media, that which you can not record on (e.g. Read Only (ROM)) and that which you can record on (CD-R). CD-R is broken down into two categories, Write Once (WO), and re-writable (RW). Each type (e.g. CD-ROM, CD-WO, and CD-RW) has a unique construction and each must be examined separately in the destruction process to be certain that the process or equipment can adequately destroy each type. If any of the ancillary components of the CD package (e.g. CD case, jewel case, paper insert) are marked with or contain any classified information, then those materials must be destroyed according to the standards set for those individuals materials and information.
- 2. Consult your Site Security Office or Controlling Authority for the proper destruction standard for the specific media.
- 3. When using the Battery Power Option, a 12 Volt DC battery with a minimum of 19 Amp Hours of current is required. The total number of CDs securely destroyed was 75 but may be more or less depending upon the batteries condition, size (Amp Hours) and total load drawn.

GROUP E (Key Tape Destruction Devices)

MODEL	CAPACITY			
NUMBER	FT/HR	MANUFACTURER	DISTRIBUTOR	REMARKS
KD-100	850	Applied Magnetics	Applied Magnetics	APPROVED FOR THE
		Laboratory, Inc.	Laboratory, Inc.	DESTRUCTION OF PMP AND
				PLASTIC KEY TAPE

MANUFACTURER'S LIST

Acco World Gatehouse Road, Aylesbury, Bucks, United Kingdom 01905 795400 Applied Magnetics Laboratory, Inc. 1404 Bare Hills Road Baltimore, MD. 21209 (410) 583-2100

ANTAEUS Group 10626 York Road, Suite D Hunt Valley, MD 21020 (410) 666 6160 CD ROM, Inc. 1301 Arapahoe Street Suite #7 Golden, Co 80401 (303) 384-3922

Cummins-Allison Corp. One Cummins Center Mount Prospect, IL 60056 847-299-9550

Document Disintegrator Systems L&F Industries 2110 Belgrave Ave. Huntington Park, CA 90255 213-588-2231 EBA Maschinenfabrik Adolf Ehinger GmbH Goethestrabe 10, D72336 Balingen, Germany (0 74 33) 302-11 ELCOMAN Kutter Via Gorizia 920030 Bovisio Mascagio Milano, Italy

Fail Safe Destruction System 2324 Vineyard Building J Ontario, CA 91761

Geha Werk – GmbH P.O. Box 123 Geha Platz D/3000 Hanover, Germany 30404 011-4951164640

Granutec
100 Davis Street
PO Box 537
East Douglas, MA 01516
508-476-3801
HSM Pressen GmbH + CO.KG
Bahnhofstrabe 115D-88682
Salem, Germany
075053/822-02

IDEAL-Werk Krug & Priester Simon-Schweitzer Strabe34 Balingen, Germany D-72336 01149 7433 2690 Jaybee Manufacturing Inc. P.O. Box 986 Tyler, TX 75710 903-597-9343

LittlefordDay, Inc.
7451 Empire Dr
Florence, KY 41022-0128
606-525-7600
National Disintegrator System
P.O. Box 3410
Pawtucket, RI 02861
508-399-6400

PDI Corporation 751 Park of Commerence Rd. Boca Raton, FL 33487 305-427-3345

PROTON ENGINEERING, Inc. 5027 SW Moores Street Palm City, FL 34990 (561) 223-2184

Schleicher & Co. International AG Rudolf-Diesel-Strabe 1, D-7778 Markdorf/Lake Constance 07544/60-0

Schutte Pulverizer Co., Inc. 61 Depot Street Buffalo, NY 14240 716-855-1555

THE WILHELM DAHLE CO. Postfach 1453 Coug, Germany 011-49-9561-278-911 Whitaker Brothers Business Machines, Inc. 12410 Washington Avenue Rockville, MD 20852 301-230-2800

Security Engineered Machinery Company 5 Walkup Dr. Westboro, MA 01581 508-366-1488 Waring Products Division
Dynamics Corporation of America
New Hartford, CT 06057
203-738-6117

DISTRIBUTOR'S LISTING

Acco North America, Inc. 300 Tower Parkway Lincolnshire, IL 60069 1-800-222-6462

ACCO USA, Inc. 770 South ACCO Plaza Wheeling, IL 60090 (847) 541-9500

ADAMS MARKETING 3995 Deep Rock Road Richmond, VA 23235 (804) 270-3471

Analytical Systems, Inc. 11058 Lee Highway Fairfax, VA 22030 (703) 352-8835

ANTAEUS Group 10626 York Road, Suite D Hunt Valley, MD 21030 (410) 666-6160 Benchmark Systems, Inc. 2600 Wilson Blvd. Arlington, VA 22201 (703) 524-8012

Capital Shredder Corp. 5550 Wilkins Court Rockville, MD 20852-1830 (301) 770-3900

Cummins-Allison Corporation 9514-A Lee Highway Fairfax, VA 22031 (703) 385-1700

DAHLE USA 375 Jaffrey Road Peterborough, NH 03458 (603) 924-0003

Datatech Corporation Union Hill & Clipper RDS W. Conshohocken, PA 19428 (610) 825-6205 ECCO Business Systems, Inc. 55 West 39th Street New York, NY 10018 (212) 921-4545

GBC Shredmaster One GBC Plaza Northbrook, IL 60862 (847) 634-3750

GEHA USA, Inc. 1022 Main Street Holbrook, NY 11741 (516) 585-7737

Geha Werk – GmbH P.O. Box 123 Geha Platx D/3000 Hanover, Germany 30404 011-4951164640 HSM of America, LLC. 882 South Matlack Street Suite H WestChester, PA. 19382 (800) 613-2110

Automated Systems, Inc. 7534 Fullerton Court Springfield, VA 22153 (703) 644-5160

Jaybee Manufacturing Inc. P.O. Box 986 Tyler, TX 75710 (903) 597-9343 LittlefordDay, Inc. 7451 Empire Drive Florence, KY 41022-0128 (606) 525-7600

MAR-TECH 7984 Macintosh Dale Glen Burnie, MD 21061-6228 (410) 933-0100 Monroe Systems for Business 7939 Honeygo Blvd. Sutie 226 Baltimore, MD 21237 (410) 933-0100

PDI Corporation 751 Park of Commerce Rd. Boca Raton, FL 33487 (305) 427-3345 Document Disintegrator Systems L&F Industries 2110 Belgrave Ave. Huntington Park, CA 90255 (213) 588-2331

Rockville Office Machine, Inc.
12264 Wilkins Avenue
Rockville, MD 20852
(301) 468-1973
Schlieicher & Co.
International AG
Rudolf-Diesel-Strabe 1,
D-7778
Markdorf/Lake Constance
07544/60
Security Engineered Machinery Co.

8329 Marlboro Pike, B-6

Upper Marlboro, MD 20772 (301) 735-7100 Waring Products Division Dynamics Corporation of America New Hartford, CT 06057 (203) 738-6117

Whitaker Brothers Business Machines, Inc. 12410 Washington Avenue Rockville, MD 20852 (301) 230-2800 Industrial Paper Shredders, Inc. 707 South Ellsworth Ave. Salem, OH 44460 (888)-637-4733

McIntire Business Products, Inc. 128K Hall Street Concord, NH 03301 (800)-847-2463